

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| S2    | 13   | ((Caceres near2 Luis near2 Barriga) or (Robles near2 Luis near2 Ramos)).in.  | US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND              | ON      | 2008/07/02 11:59 |
| S3    | 5    | ((Caceres near2 Luis near2 Barriga) or (Robles near2 Luis near2 Ramos)).in. (data near2 authenticat\$4)  | US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND              | ON      | 2008/07/02 13:09 |
| S4    | 204  | (726/8.ccls.) (@ad<"20051221")   | US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND              | ON      | 2008/07/02 13:13 |
| S5    | 40   | (726/8.ccls.) (@ad<"20051221") ( SSO or (single near sign\$4 near "on") )  | US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND              | ON      | 2008/07/02 13:14 |
| S6    | 1    | (726/8.ccls.) (@ad<"20051221") ( SSO or (single near sign\$4 near "on") ) (authenticat\$4 with network\$4 same (credential or user\$2name\$2 or pass \$2word\$4 or log\$2in or user \$2ID) same (log\$4in or log \$4on or access\$4))((IP near2 address) with (network\$4))    | US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND              | ON      | 2008/07/02 13:43 |
| S8    | 4    | ("726"/\$.ccls.) (@ad<"20030626") ( SSO or (single near sign\$4 near "on") ) (authenticat\$4 with network\$4 same (credential or user\$2name\$2 or pass \$2word\$4 or log\$2in or user \$2ID) same (log\$4in or log \$4on or access\$4))((IP near2 address) with (network\$4)) | US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND              | ON      | 2008/07/02 13:44 |

|     |     |   |  |     |    |                     |
|-----|-----|---|--|-----|----|---------------------|
| S9  | 3   | ("713"/\$.cls.)<br>(@ad-<"20030626") ( SSO or (single near sign\$4 near "on") ) (authentical\$4 with network\$4 same (credential or user\$2name\$2 or pass \$2word\$4 or log\$2in or user \$2ID) same (log\$4in or log \$4on or access\$4))((IP near2 address) with (network\$4)) | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>13:44 |
| S10 | 21  | ("709"/\$.cls.)<br>(@ad-<"20030626") ( SSO or (single near sign\$4 near "on") ) (authentical\$4 with network\$4 same (credential or user\$2name\$2 or pass \$2word\$4 or log\$2in or user \$2ID) same (log\$4in or log \$4on or access\$4))((IP near2 address) with (network\$4)) | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>13:45 |
| S11 | 41  | ( SSO or (single near sign\$4 near "on") ) (authentical\$4 with network\$4 same (credential or user\$2name\$2 or pass \$2word\$4 or log \$2in or user\$2ID) same (log \$4in or log\$4on or access \$4))((IP near2 address) with (network\$4))<br>(@ad-<"20030626")                | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:00 |
| S12 | 4   | ("6571289"   "6253327").pn.   | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:00 |
| S13 | 157 | ((SSO or (single adj sign\$4))<br>((access\$4 or log\$2in or log \$on or logg\$4) with<br>(authentical\$4 or credential or user\$2name\$2 or pass \$2word\$2 or user\$2ID))<br>((IP near2 address) with<br>(user))(@ad-<"20030626")   | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:18 |

|     |     |  |  |     |    |                     |
|-----|-----|--|--|-----|----|---------------------|
| S14 | 119 | ((SSO or (single adj sign\$4))<br>((access\$4 or log\$2in or log<br>\$on or logg\$4) with<br>(authentical\$4 or credential<br>or user\$2name\$2 or pass<br>\$2word\$2 or user\$2ID))<br>(((IP near2 address) with<br>(user)) (secur\$4 near5<br>(tunnel\$4 or communicat\$4<br>or network\$4 or transmit\$4))<br>(@ad< "20030626")   | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:19 |
| S15 | 48  | ((SSO or (single adj sign\$4))<br>((access\$4 or log\$2in or log<br>\$on or logg\$4) with<br>(authentical\$4 or credential<br>or user\$2name\$2 or pass<br>\$2word\$2 or user\$2ID))<br>(((IP near2 address) with<br>(user)) (secur\$4 near5<br>(tunnel\$4 or communicat\$4<br>or network\$4 or transmit\$4))<br>(session with (validat\$4 or<br>authenticat\$4) with user)<br>(@ad< "20030626") | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:20 |
| S16 | 6   | ((SSO or (single adj sign\$4))<br>((access\$4 or log\$2in or log<br>\$on or logg\$4) with<br>(authentical\$4 or credential<br>or user\$2name\$2 or pass<br>\$2word\$2 or user\$2ID))<br>(((IP near2 address) with<br>(user)) (assign\$4 with IP<br>with user)<br>(@ad< "20030626")   | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:42 |
| S17 | 16  | ((SSO or (single adj sign\$4))<br>((access\$4 or log\$2in or log<br>\$on or logg\$4) with<br>(authentical\$4 or credential<br>or user\$2name\$2 or pass<br>\$2word\$2 or user\$2ID))<br>(assign\$4 with IP with user)<br>(@ad< "20030626")   | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:43 |
| S18 | 16  | ((SSO or (single adj sign\$4))<br>((access\$4 or log\$2in or log<br>\$on or logg\$4) with<br>(authentical\$4 or credential<br>or user\$2name\$2 or pass<br>\$2word\$2 or user\$2ID))<br>(session with (IP or user))<br>(assign\$4 with IP with user)<br>(@ad< "20030626")  | US_PGPUB;<br>USPAT;<br>USOOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/02<br>14:43 |

|     |     |  |   |     |    |                     |
|-----|-----|--|---|-----|----|---------------------|
| S22 | 11  | ((SSO or (single adj sign\$4)) ((inner or outer) with IP) (@ad< "20030626")  | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>08:34 |
| S23 | 11  | ((SSO or (single adj sign\$4) or federated) ((inner or outer) with IP) (@ad< "20030626")   | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>08:35 |
| S24 | 10  | ((SSO or (single adj sign\$4) or federated) ((inner or internal) near5 (IP near2 address)) (@ad< "20030626")   | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>08:51 |
| S25 | 12  | ((SSO or (single adj sign\$4) or federat\$4) ((inner or internal) near5 (IP near2 address)) (@ad< "20030626")  | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>08:57 |
| S26 | 120 | ((HTTP near5 service) ((inner or internal) near5 (IP near2 address)) (@ad< "20030626")   | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>09:09 |
| S27 | 38  | ((HTTP near5 service) ((entry or access) near5 point ) ((inner or internal) near5 (IP near2 address)) (@ad< "20030626")  | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>09:10 |
| S28 | 3   | ((HTTP near5 service) ((authenticat\$4 or validat \$4) with home with (network or agent or location) ) ((entry or access) near5 point ) ((inner or internal) near5 (IP near2 address)) (@ad< "20030626") | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>09:11 |
| S29 | 4   | ((HTTP near5 service) ((authenticat\$4 or validat \$4) with home with (network or agent or location) ) ((inner or internal) near5 (IP near2 address)) (@ad< "20030626")                                  | US_PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2008/07/03<br>09:20 |

|     |     |  |  |     |    |                  |
|-----|-----|--|--|-----|----|------------------|
| S30 | 12  | ((HTTP near5 service) ((authenticat\$4 or validat\$4) with (home or local) with (network or agent or location or access\$4 or registration) ) ((inner or internal) near5 (IP near2 address)) (@ad<"20030626")  | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/03 09:22 |
| S32 | 9   | ((HTTP near5 service) (HTTP near5 proxy) (user with (authenticat\$4 or validat\$4 or credential) with HTTP with (service or server)) (firewall with HTTP near5 (service or server)) (certificate with (check\$4 or verif\$6 or valid\$6)) (@ad<"20030626")                                       | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/03 11:44 |
| S34 | 5   | ((HTTP near5 (service)) (proxy) ((determin\$4 or verify\$4 or check\$4) with user with (authenticat\$4 or validat\$4 or credential or log\$5n) with (previous\$4 or already)) (firewall) (certificate with (check\$4 or verif\$6 or valid\$6)) (@ad<"20030626")                                  | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/03 11:52 |
| S35 | 119 | ((SSO or (single adj sign\$4)) ((access\$4 or log\$2in or log\$on or log\$4) with (authenticat\$4 or credential or user\$2name\$2 or pass\$2word\$2 or user\$2ID)) (((IP near2 address) with (user)) (secur\$4 near5 (tunnel\$4 or communicat\$4 or network\$4 or transmit\$4)) (@ad<"20030626") | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/03 13:32 |
| S36 | 30  | (S26 or S35)((generat\$4 or creat\$4) with key with (public or private or asymmetric or pair) ) (@ad<"20030626")   | US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/03 13:32 |

7/3/2008 5:32:06 PM

C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\10\10-595-025.wsp